



BRICK
AIR SPACE
INSULATION
BLOCK

THROUGH-WALL MOD.BIT
MEMBRANE, BELOW AND
ABOVE METAL FLASHING

WEEP HOLES

MORTAR BED

METAL FLASHING
BY ROOFER

CONT. FASTENING BAR

WATERPROOFING

CANT STRIP

PROVIDE LOOP IN VAPOUR
RETARDER AND FILL
WITH ROXUL RIGID INSULATION TO
1" ABOVE THE CANT STRIP HEIGHT

MEMBRANE
INSULATION
DECK

BLOCK
WALL

NOTES:
-ALL INSIDE AND OUTSIDE CORNERS
OF METAL THROUGH-WALL FLASHING
SHALL BE PRE-FABRICATED BY
ROOFER.
-HORIZONTAL OVERLAPS OF AIR SEAL
MEMBRANE SHALL RECEIVE A
SECONDARY APPLICATION OF
MEMBRANE.

Peter Rohmann Associates Inc.
BRAMPTON Tel: 905-824-7449
WASAGA BEACH Tel: 705-352-3222
E-Mail: prai@prohmann.com

PROJECT
STANDARD DETAIL

LOCATION
:

DWN BY:	ATP	PRA #:	
CK'D BY:	PRA	DATE:	FEB. 2015
SCALE:	1"=4"		

PROJECT NO.

DRAWING TITLE
THROUGH-WALL
FLASH'G EXP.JT.

DWG. NO. **TWFX 4**